



REDOVAN

REGULATOR FOR MOORING AND SIZE OF THE FRUIT

Aqueous suspension

DESCRIPTION:

Redovan is a foliar stimulant that combines a hormonal complex and specific nutrients that are quickly assimilated, which promotes cell division and differentiation, generating greater branching in the plant, a better mooring and an increase in the size of the fruits.

Redovan's organic acids and hydrolytic enzymes activate and increase the metabolism of plants, provide greater respiration, enzymatic activity and protein synthesis.

BIOSTIMULANTS

BENEFITS:

- ✓ Increases and strengthens the number of tied floral buds.
- ✓ Avoid losses due to fruit abortion.
- ✓ Improves the fruit's development and size.
- ✓ Standardizes the size of fruits and grains.
- ✓ Improves the use of nutrients.

GUARANTEED COMPOSITION

Cytokinins	2200 ppm
Auxins	150 ppm
Gibberellins	150 ppm
Nitrogen (N ₂)	1.0%
Phosphorus (P ₂ O ₅)	1.5%
Potassium (K ₂ O)	0.5%
Zinc (Zn)	1.0%
Organic acids	5.0%
Hydrolytic enzymes	1000 ppm

INCOMPATIBILITY: Do not mix **Redovan** with strongly alkaline reacting products; however, always perform an incompatibility test before mixing.

Do not apply with high temperatures, threat of rain or strong winds.

CROPS

RECOMENDATION

Agave, Artichoke, Asparagus, Blackberry, Blueberry, Broccoli, Cabbage, Carrot, Cauliflower, Chili, Cotton, Cucumber, Eggplant, Garlic, Grains, Green Bean, Lettuce, Melon, Onion, Ornamentals, Papaya Tree, Pepper, Potato, Pumpkin, Radish, Raspberry, Strawberry, Tomato, Vineyard, Watermelon

Apply 500 mL/ha at the beginning of the flowering, followed by doses of 250 mL/ha every 15 days until the fruits, bulbs and tubers are full.

Apple, Avocado, Banana, Citrus, Coffee, Fig, Guava Tree, Mango, Peach, Pear Tree, Pineapple, Walnut

Apply 1 L/ha at the beginning of the flowering, followed by doses of 500 mL/ha every 30 days until the fruits are full.

INSTRUCTIONS OF USE: Shake the container and open carefully, measure the indicated amount of **Redovan** and add it to the fertilizing tank with constant agitation to later inject it to the irrigation system.

Apply **Redovan** via foliar, covering most of the foliage and/or the fruits of the plant.

"The information contained in this Technical Data Sheet is provided with good intention, but does not constitute a guarantee or commitment of responsibility"

